

Robotic Technologies Bridging the Gaps of Vertical Farm Systems in the Modern Indian Agricultural Economy: A Systematic Review

Prof. Dr. Savita Shinde*, Abhishek Ashok Jagtap, Sanket Sudhir Joshi, Yusra Tahir Momin and Om Suresh Kakulte

Mechanical Department MIT ADT University, Pune, India.

*Corresponding author email id: Savita.shinde@mituniversity.edu.in

Date of publication (dd/mm/yyyy): 23/05/2025

Abstract – The integration of robotics in agriculture has revolutionized traditional farming practices, enhancing efficiency, precision, and sustainability. Vertical Farming Systems (VFS) have emerged as a transformative approach to sustainable food production, addressing challenges such as land scarcity, climate variability, and food security. In India, where rapid urbanization and agricultural constraints persist, robotics offers a crucial solution to optimize efficiency and productivity in VFS. This review presents an overview of recent advancements in agricultural robotics, with a focus on autonomous greenhouse robots, robotic harvesting systems, machine vision applications, and high-throughput plant phenotyping. Additionally, it explores the role of robotic technologies in automation, crop monitoring, harvesting, and resource optimization within vertical farms. The study highlights key developments in robot locomotion, path planning, and end-effector design while identifying technological gaps and proposing strategic interventions tailored for India's agricultural economy. Despite numerous benefits, challenges such as high costs, adaptability to diverse environments, and technical complexities remain. Future research should prioritize artificial intelligence integration, cost reduction strategies, and enhanced adaptability to ensure the widespread adoption of robotics in both traditional and vertical farming systems. Furthermore, policy frameworks and research advancements are needed to facilitate the sustainable deployment of AI-driven automation, sensor-based monitoring, and robotic harvesting in Indian agriculture [1], [3], [5] [2, 24, 27].

Keywords – Vertical Farm, Farm Robot, Precision Agriculture, Plant Health, Sustainable.

I. INTRODUCTION

India's agricultural sector is at a crossroads, facing multiple challenges, including shrinking arable land, unpredictable climate conditions, and a growing food demand due to rapid urbanization. Traditional farming methods struggle to keep pace with these challenges, leading to lower productivity and increased pressure on existing resources. Furthermore, the agriculture industry in India is heavily reliant on manual labor, which is becoming increasingly scarce due to rural-to-urban migration trends. This has further driven the need for innovative farming methods that are efficient, sustainable, and less labor-intensive.

Vertical farming presents a viable alternative, offering high-yield food production within controlled environments. Unlike traditional open-field farming, VFS utilizes hydroponics, aeroponics, and aquaponics to grow crops in vertically stacked layers, optimizing space utilization and resource efficiency. The integration of climate control, LED lighting, and data-driven management systems further ensures stable and predictable crop yields throughout the year. However, the high level of manual intervention required in tasks such as planting, monitoring, and harvesting remains a limiting factor in its scalability and cost-effectiveness [2, 24, 27].

Robotics and automation have the potential to bridge these gaps by enabling precise automation, real-time monitoring, and enhanced crop yields. Robotic technologies, when integrated with AI, machine learning, and IoT-driven systems, can significantly reduce labor dependency while improving productivity and resource

management. The use of autonomous robotic arms for planting and harvesting, AI-powered crop health monitoring systems, and automated nutrient delivery mechanisms can drastically improve operational efficiency [1, 2, 3, 5, 9, 12, 26].



The adoption of robotics in VFS is still in its early stages in India, largely due to high initial investment costs and a lack of technical expertise. However, with advancements in AI, cloud computing, and cost-effective automation technologies, the feasibility of robotic integration in Indian vertical farms is steadily improving. Government initiatives, research collaborations, and private sector investments are further fostering innovation in this domain [1, 3, 5].

This paper systematically analyzes the integration of robotics in VFS, specifically focusing on its applications in the Indian agricultural economy. By synthesizing findings from multiple research studies, this review aims to identify key trends, technological advancements, and implementation challenges associated with robotics in vertical farming [1, 2, 3, 5, 24, 27].

1.1. *Scope and Objectives*

- To evaluate the role of robotics in optimizing vertical farming operations [1, 2, 3, 5, 24, 27].
- To analyze recent advancements in robotic automation, crop monitoring, and harvesting.
- To assess the challenges and limitations in adopting robotics in Indian vertical farms [1, 3, 5].
- To propose future research directions and policy interventions for enhancing robotic integration [31, 34].

II. METHODOLOGY

This systematic review follows the PRISMA (Preferred Reporting Items for Systematic Reviews and Meta-Analyses) methodology to collect and analyze data. The PRISMA framework ensures transparency in data collection, filtering, and synthesis, leading to reliable and replicable findings.

2.1. *Data Collection*

Relevant literature was sourced from research databases such as IEEE Xplore, ScienceDirect, Springer and G-

-oogle Scholar. The review included peer-reviewed journal articles, conference papers, and technical reports published in the last decade. Additionally, government reports and industry white papers were reviewed to understand policy implications and real-world applications of robotics in vertical farming [1, 2, 3, 5, 24, 27, 31, 34].

2.2. Inclusion and Exclusion Criteria

Inclusion: Studies focusing on robotics in vertical farming, automation, AI integration, and resource management [1, 2, 3, 5, 24, 27].

Exclusion: Research on traditional farming robotics, studies without experimental validation, and outdated technological reviews [1, 3, 5].

2.3. Data Analysis

A comparative analysis was conducted to categorize robotics applications in VFS based on: [1, 3, 5].

- Crop growth monitoring.
- Automated harvesting [18, 19, 25, 35, 36].
- Resource optimization (water, nutrients, energy efficiency) [20, 21, 28].
- Machine learning and AI applications in farming automation [2, 9, 12, 26].

Each category was further analyzed to assess the impact of robotics on efficiency, scalability, and sustainability in Indian vertical farms [1, 3, 5].

2.4. Systematic Review Framework

A systematic review framework was designed to identify patterns and research gaps in existing literature. Papers were categorized based on their methodological approaches, including experimental studies, case studies, and simulation-based analyses.

2.5. Data Synthesis and Interpretation

The selected studies were synthesized using qualitative and quantitative approaches. Statistical models were used to interpret the impact of robotics on efficiency, yield, and resource utilization. Meta-analysis techniques were employed to compare findings from multiple sources [1, 3, 5].

III. RESULT AND DISCUSSION

3.1. Role of Robotics in Vertical Farming

Robotics has revolutionized vertical farming by automating key processes, reducing human labor, and improving efficiency. Several critical areas where robotics contribute include: [1, 2, 3, 5, 24, 27].

3.1.1. Automated Harvesting and Plant Management

Robotic harvesters equipped with AI-driven vision systems can detect ripeness and automate the harvesting process. The paper "A Small Autonomous Field Robot for Strawberry Harvesting" highlights the efficiency of multi-arm robotic systems in handling complex harvesting tasks. Additionally, advancements in robotic grippers

and precision cutting tools have enabled gentle handling of delicate crops, minimizing post-harvest losses. Automated systems ensure precision in harvesting, reducing human error and improving overall productivity. [29, 36, 37, 38].

3.1.2. *AI-Enabled Crop Monitoring*

Robots integrated with IoT sensors provide real-time data on crop health, nutrient levels, and environmental conditions. The study "Analysis of Plant Physiological Responses Based on Leaf Color Changes" emphasizes the role of AI in detecting plant health issues. By leveraging hyperspectral imaging and computer vision, robotic systems can predict diseases before symptoms become visible, enabling early intervention and reducing losses. AI-powered monitoring systems also facilitate the implementation of precision agriculture techniques, optimizing resource allocation and reducing waste. [9, 17, 29, 36, 37, 38].

3.2. *Comparative Analysis of Robotics in Vertical Farming vs. Traditional Agriculture*

A comparison between robotic-driven vertical farming and traditional agricultural methods reveals significant improvements in yield, resource optimization, and labor efficiency. Studies suggest that robotic vertical farms achieve up to 60% more resource efficiency compared to conventional farming. Unlike traditional agriculture, which is susceptible to climate changes and labor shortages, automated vertical farming provides consistent and optimized yields throughout the year. Robotic systems also reduce dependency on chemical pesticides and fertilizers, making farming more sustainable [2, 24, 27].

3.3. *Machine Vision and Automated Harvesting*

The integration of machine vision systems enhances object detection and classification. The Design and Development of Machine Vision Robotic Arm for Vegetable Crops explores image processing techniques for ripeness detection. Similarly, Development and Field Evaluation of a Strawberry Harvesting Robot with a Cable-Driven Gripper demonstrates how vision-based approaches improve harvesting accuracy [29, 36, 37, 38].

3.4. *Novel End-Effectors and Electric-Powered Robots*

The Kinematic Design of New Robot End-Effectors for Harvesting Using Deployable Scissor Mechanisms presents an innovative harvesting approach for delicate crops. Additionally, Evaluating an Autonomous Electric Robot for Real Farming Applications highlights sustainable, battery-powered agricultural robots as a viable alternative to traditional farm machinery.

3.5. *Autonomous Robots for Greenhouses*

Recent studies, such as the one on Autonomous Collaborative Mobile Robot for Greenhouses, emphasize the role of mobile robotic platforms in optimizing transportation and plant care. The Feasibility Analysis of Robots in Greenhouses highlights economic considerations, demonstrating that despite high initial costs, robotic solutions offer long-term benefits [22, 23, 31, 33].

3.6. *Case Studies of Successful Robotic Implementations*

Japan's Spread Co., Ltd.: Uses robotic arms for lettuce harvesting in indoor farms.

AeroFarms (USA): Deploys AI-powered robots for real-time monitoring of crop health.

India's AgNext Technologies: AI-based crop analysis for optimizing yield and resource management.

These case studies highlight how robotics can enhance efficiency, reduce operational costs, and promote sustainable farming practices. Successful implementations in technologically advanced countries can serve as models for adapting robotics in Indian vertical farming [1, 2, 3, 5, 24, 27].

3.7. Future Potential of Robotics in Vertical Farming

The rapid advancements in AI, IoT, and automation technologies indicate a promising future for robotics in vertical farming. Further research should focus on reducing costs, improving system adaptability, and integrating renewable energy sources. Policy frameworks supporting AI-driven agriculture, along with increased investment in research and development, will be crucial in driving widespread adoption. [1, 2, 3, 5, 20, 21, 24, 27, 28, 31, 34].

IV. CONCLUSION

The integration of robotic technologies in vertical farming represents a paradigm shift in agricultural production, offering sustainable and scalable solutions to enhance efficiency and productivity. Robotic automation in tasks such as harvesting, monitoring, and resource management can significantly improve crop yields while minimizing labor dependency and operational costs. These advancements hold particular significance for India, where agricultural challenges such as land scarcity, climate variability, and workforce shortages persist [2, 24, 27]. In conclusion, robotic technologies have the potential to revolutionize vertical farming in India by making it more efficient, sustainable, and profitable. By fostering innovation and addressing adoption barriers, India can establish itself as a global leader in smart agriculture, ensuring long-term food security and economic resilience [2, 22, 23, 24, 27, 31].

V. FUTURE SCOPE

1. **Development of Cost-Effective Robotics:** Future research should focus on designing low-cost robotic solutions to make automation accessible to small and medium-scale farmers, ensuring affordability without compromising efficiency [1, 3, 5].
2. **Advancements in AI and Machine Learning:** AI-driven analytics can be further enhanced to enable predictive maintenance, early disease detection, and automated decision-making for optimizing crop yield and resource utilization [2, 9, 12, 26].
3. **Integration with Renewable Energy Sources:** Incorporating solar and wind energy to power robotic systems in vertical farms can significantly reduce energy costs and promote sustainable farming practices [20, 21, 28].
4. **IoT and Smart Farming Expansion:** The integration of IoT sensors, cloud computing, and real-time monitoring can improve precision farming, ensuring better resource management and early identification of plant health issues [9, 17, 29].
5. **Autonomous Drones for Vertical Farms:** The use of drones equipped with AI and multispectral imaging can help in real-time surveillance, automated pollination, and plant health assessment.
6. **Blockchain for Supply Chain Transparency:** Implementing blockchain technology can enhance traceability,

ensuring secure and transparent food production and distribution systems in vertical farming [2, 24, 27].

REFERENCES

- [1] A mixed-autonomous robotic platform for intra-row and inter-row weed removal for precision agriculture Francesco Visentin, Simone Cremasco, Marco Sozzi, Luca Signorini, Moira Signorini, Francesco Marinello, Riccardo Muradore. a. Università degli Studi di Verona (University of Verona), Dipartimento di Informatica, Strada le Grazie (Department of Computer Science, Strada le Grazie), 15, Verona, 37134, Verona, Italy. b. Università degli Studi di Padova, Dipartimento Territorio e Sistemi Agro-Forestali (University of Padua, Department of Territory and Agro-Forestry Systems), Viale dell'Università (University Avenue) 16, Legnaro, 35020, Padova, Italy. c. Oliver Agro SRL, Via Torre 350, Engazza di Salizzole (Salizzole's wedding), 37056, Verona, Italy
- [2] A Multiclass Plant Leaf Disease Detection using Image Processing and Machine Learning Techniques Nilay Ganatra¹ and Atul Patel² ¹Assistant Professor, Faculty of Computer Science and Applications, Charotar University of Science and Technology (CHARUSAT), Changa-388421 (Gujarat), India.
- [3] Advances in ground robotic technologies for site-specific weed management in precision agriculture: A review. Arjun Upadhyay, Yu Zhang, Cengiz Koparan, Nitin Rai, Kirk Howatt, Sreekala Bajwa, Xin Sun, a Department of Agricultural and Bio systems Engineering, North Dakota State University, Fargo, ND 58102, USA b Department of Plant Sciences, North Dakota State University, PO Box 6050, Fargo, ND 58108-6050, USA c College of Agriculture and Montana Agricultural Experiment Station, Montana State University, Bozeman, MT 59717, USA d Department of Agricultural Education, Communications and Technology, Biological and Agricultural Engineering, University of Arkansas, Fayetteville, AR 72701, USA.
- [4] An Image Processing Approach for Detection, Quantification, and Identification of Plant Leaf Diseases-A Review Prabira Kumar Sethy^{#1}, Baishalee Negi^{*2}, Santi Kumari Behera^{#3}, Nalini Kanta Barpanda^{#4}, Amiya Kumar Rath^{#5} 1, 2, 4 SUIT, Sambalpur University, Jyoti Vihar, Odisha, India-768019.
- [5] Application of extreme machine learning for smart agricultural robots to reduce manoeuvring adaptability errors Majed Abdullah Alrowaily a,^{*}, Omar Alruwaili b, Mansoor Alghamdi c, Menwa Alshammeri a, Muteeb Alahmari d, Ghulam Abbas e,^{*}a Department of Computer Science, College of Computer and Information Sciences, Jouf University, Sakaka 72341, Saudi Arabia b Department of Computer Engineering and Networks, College of Computer and Information Sciences, Jouf University, Sakaka 72388, Saudi Arabia c Department of Computer Science, Applied College, University of Tabuk, Tabuk 47512, Saudi Arabia d Department of Computer Science, Imam Abdulrahman Bin Faisal University (IAU), Dammam 34212, Saudi Arabia e School of Electrical Engineering, Southeast University, Nanjing 210096, China.
- [6] Detection of plant leaf diseases using image segmentation and soft computing techniques Vijai Singh a,^{*}, A.K. Misra b a Computer Science Department, IMS Engineering College, Ghaziabad, UP, India Computer Science & Engg. Department, MNNIT Allahabad, UP, India.
- [7] Fast and Accurate Detection and Classification of Plant Diseases H. Al-Hiary, S. Bani-Ahmad, M. Reyalat, M. Braik and Z. AL Rahamneh Department of Information Technology Al-Balqa' Applied University, Salt Campus, Jordan.
- [8] Identification and Classification of Normal and Affected Agriculture/horticulture Produce Based on Combined Color and Texture Feature Extraction Basvaraj .S. Anami¹, J.D. Pujari², Rajesh.Yakkundimath³, 3 K.L.E. Institute of Technology, Hubli - 580 030 INDIA 2 S.D.M. College of Engg. &Tech, Dharwar - 580 008, India.
- [9] Integrating artificial intelligence and Internet of Things (IoT) for enhanced crop monitoring and management in precision agriculture Kushagra Sharma a, Shiv Kumar Shivandu b,^{*} a Department of Horticulture (Fruit Science), Jawaharlal Nehru Krishi Vishwa Vidyalaya, Jabalpur, Madhya Pradesh, 482004, India b Department of Horticulture (Fruit Science), College of Horticulture, Dr YS Parmar University of Horticulture and Forestry, Nauni, Solan, Himachal Pradesh, 173230, India.
- [10] Momordica charantia leaf disease detection and treatment using agricultural mobile robot Julius Fusic S; Sugumari T; Jayant Giri; Emad Makki; R. Sitharthan; Shunmathi Murugesan; Abhijit Bhowmik.
- [11] Plant Leaf Disease Detection and Classification Using Particle Swarm Optimization Rishabh Yadav¹(B), Yogesh Kumar Rana², and Sushama Nagpal³ 1 Mobikwik, Gurugram, India rishabhydv@gmail.com 2 HSBC, Pune, India 1314.yogesh@gmail.com 3 Netaji Subhas University of Technology, New Delhi, India sushmapriyadarshi@yahoo.com
- [12] A Review on Plant Leaf Diseases Detection and Classification Based on Machine Learning Models Sasmita Nayak, Centurion University of Technology and Management, Swati Sucharita Barik, Centurion University of Technology and Management.
- [13] Optimizing the performance of a wheeled mobile robots for use in agriculture using a linear-quadratic regulator Sairoel Amertet a, Girma Gebresenbet b, Hassan Mohammed Alwan c. a High School of Automation and Robotics, Peter the Great Saint Petersburg Polytechnic University, 195220 Saint Petersburg, Russia b Department of Energy and Technology, Swedish University of Agricultural Sciences, P.O. Box 7032, 750 07 Uppsala, Sweden c Department of mechanical Engineering, University of technology, Baghdad, Iraq.
- [14] Towards autonomous mapping in agriculture: A review of supportive technologies for ground robotics Diego Tiozzo Fasiolo, Lorenzo Scalera ^{*}, Eleonora Maset, Alessandro Gasparetto Polytechnic Department of Engineering and Architecture, University of Udine, via delle Scienze, 206, 33100, Udine, Italy.
- [15] Early plant disease diagnosis through handheld UV-V is transmittance spectrometer with DD-SIMCA one-class classification and MCR-ALS bilinear decomposition Mafalda Reis-Pereira a, b, Sarmento J. Mazivila c, Fernando Tavares a, d, e, Filipe Neves dos Santos b, Mario Cunha a,b,^{*}a Faculdade de Ciências da Universidade do Porto (Faculty of Sciences of the University of Porto) (FCUP), Rua do Campo Alegre, Porto 4169-007, Portugal b Institute for Systems and Computer Engineering, Technology and Science (INESC TEC), Campus da Faculdade de Engenharia da Universidade do Porto (Campus of the Faculty of Engineering of the University of Porto), Rua Dr. Roberto Frias, Porto 4200-465, Portugal c Centro de Investigação em Química da Universidade do Porto (Portugal c Chemistry Research Center of the University of Porto) (CIQ-UP), DGAOT, Faculty of Sciences, University of Porto, 4169-007 Porto, Portugal d CIBIO, Centro de Investigação em Biodiversidade e Recursos Genéticos (Research Center for Biodiversity and Genetic Resources) in Bio Laboratório Associado, Campus de Vairao, Universidade do Porto (University of Porto), 4485-661 Vairao, Portugal e BIOPOLIS Program in Genomics, Biodiversity and Land Planning, CIBIO, Campus de Vairao, 4485-661 Vairao, Portugal.
- [16] Harnessing image processing for precision disease diagnosis in sugar beet agriculture Varucha Misra ^{*}, 1, A.K. Mall ^{**}, 1 ICAR-Indian Institute of Sugarcane Research, Lucknow, India.
- [17] A modular sensing system with CANBUS communication for assisted navigation of an agricultural mobile robot Redmond R. Shamshiri a, b, ^{*}, Eduardo Navas a, c, Volker Dworak a, Fernando A. Auat Cheein d, Cornelia Weltzien a, b. a. Leibniz Institute for Agricultural Engineering and Bio economy (ATB), Max-Eyth-Allee 100, 14469 Potsdam, Germany. b. Technische Universität at Berlin, Chair of Agromechatronics, Straße des 17. Juni 144, 10623 Berlin, Germany. c. Centre for Automation and Robotics, UPM-CSIC, Carretera CAMPO-REAL Km 0.2, Arganda del Rey, 28500 Madrid, Spain. d. UK National Robotarium, Edinburgh Centre for Robotics, School of Engineering and Physical Sciences, Heriot-Watt University, Edinburgh, UK.
- [18] A small autonomous field robot for strawberry harvesting. Luis Tituaña a,^{*}, Akram Gholami b, Zixuan He c, Yunjun Xu a, Manoj Karkee c, Reza Ehsani b. a. Department of Mechanical and Aerospace Engineering, University of Central Florida, 12760 Pegasus Dr.,

- Orlando, FL, 32816, USA. b. Department of Mechanical Engineering, University of California, Merced, 5200 N. Lake Rd., Merced, CA, 95343, USA. c. Department of Biological Systems Engineering, Washington State University, 24106 N. Bunn Rd., Prosser, WA, 99350, USA.
- [19] Co-robotic harvest-aid platforms: Real-time control of picker lift heights to maximize harvesting efficiency. Zhenghao Fei , Stavros G. Vougioukas University of California, Davis, Department of Biological and Agricultural Engineering, One Shields Ave, Davis, CA 95616-5270, USA.
- [20] Energy cost reduction by shifting electricity demand in indoor vertical farms with artificial lighting. Dafni Despoina Avgoustaki, George Xydis*. Department of Business Development and Technology, Aarhus University, Birk Centerpark 15, 7400 Herning, Denmark.
- [21] How energy innovation in indoor vertical farming can improve food security, sustainability, and food safety? Dafni Despoina Avgoustaki and George Xydis*Department of Business Development and Technology, Centre for Energy Technologies, Aarhus University, Herning, Denmark.
- [22] Environmental life cycle assessment of a large-scale commercial vertical farm Michael Martin a, b, *, Mugahid Elnour a, Aina Cabrero Sinol a. a. IVL Swedish Environmental Research Institute, Life Cycle Management, Sustainable Society, Vallhallav agen 81, 114 28 Stockholm, Sweden. b. KTH Royal Institute of Technology, Department of Sustainable Development, Environmental Science and Engineering, Teknikringen 10B, 114 28 Stockholm, Sweden.
- [23] Farming without farms? Challenges for organizational behaviour research in an upcoming transformation process Stefan Mann Agroscope, Ettenhausen, Switzerland.
- [24] Food for future: Exploring cutting-edge technology and practices in vertical farm Swathi Erekaath a, Holger Seidlitz a, Monika Schreiner, d, Christian Dreyer a, b, c, * .a. Research Division Polymeric Materials and Composites PYCO, Fraunhofer Institute for Applied Polymer Research IAP, 15745 Wildau, Germany. b. Department Fiber Composite Material Technologies, Faculty for Engineering and Natural Sciences, Technical University of Applied Sciences Wildau, Wildau, Germany. c. Food4Future (F4F), c/o Leibniz Institute of Vegetable and Ornamental Crops (IGZ), Grossbeeren, Germany. d. Department Plant Quality and Food Security, Leibniz Institute of Vegetable and Ornamental Crops (IGZ), Grossbeeren, Germany.
- [25] Harvest-order planning for a multiarm robotic harvester B. Zion a., M. Mann b, D. Levin a , A. Shilo a, D. Rubinstein b, I. Shmulevich b. a. Institute of Agricultural Engineering, Agricultural Research Organization, The Volcani Center, Bet Dagan, Israel. b. Faculty of Civil and Environmental Engineering, Technion-Israel Institute of Technology, Haifa, Israel.
- [26] Machine learning meets advanced robotic manipulation Saeid Nahavandi a,b,1, Roohallah Alizadehsanic,*, Darius Nahavandi c, Chee Peng Lim c, Kevin Kelly d, Fernando Bello e. a. Swinburne University of Technology, Hawthorn, VIC 3122, Australia. b. Harvard Paulson School of Engineering and Applied Sciences, Harvard University, Allston, MA 02134, USA. c. Institute for Intelligent Systems Research and Innovation (IISRI), Deakin University, Australia. d. Department of Mechanical & Manufacturing Engineering, Trinity College, Dublin, Ireland e. Center for Engagement and Simulation Science, Department of Surgery and Cancer, Imperial College London, London, United Kingdom.
- [27] Vertical farming in urban environments: A review of architectural integration and food security. Olabimpe Banke Akintuyi*. Department of Agricultural Economics and Extension, Federal University of Technology Akure, Nigeria.
- [28] Optimization of vertical farms energy efficiency via multiperiodic graph-theoretical approach J. Pimentel a, L. Balazs b, F. Friedler a * a. Szechenyi Istvan University, Egyetem ter 1, H-9026, Gyor, Hungary. b. Hungarian University of Agriculture and Life Sciences, Pater Karoly utca 1, 2100, Godollo, Hungary.
- [29] Plant growth information measurement based on object detection and image fusion using a smart farm robot Songhee Cho a, d, 1 , Taehyeong Kim a, 1, Dae-Hyun Jung b, Soo Hyun Park c, Yunseong Na a, Yong Seok Ihn a, KangGeon Kim a, *.a. Artificial Intelligence and Robotics Institute, Korea Institute of Science and Technology, Seoul, South Korea. b. Department of Smart Farm Science, Kyung Hee University, Yongin-si, Gyeonggi-do, South Korea. c. Smart Farm Research Center, Korea Institute of Science and Technology, Gangneung-si, Gangwon-do, South Korea. d. Department of Electronic and Electric Engineering and Graduate Program in Smart Factory, Ewha Womans University, Seoul, South Korea.
- [30] Probabilistic model-checking of collaborative robots: A human injury assessment in agricultural applications Leonardo Guevara a,b,*, Muhammad Khalid c, Marc Hanheide a, Simon Parsons a. a. University of Lincoln, Lincoln Centre for Autonomous Systems (L-CAS), Lincoln, LN6 7TS, UK. b. University of Lincoln, Lincoln Institute for Agri-Food Technology (LIAT), Lincoln, LN2 2LF, UK. c. University of Hull, Department of Computer Science and Technology, Hull, UK.
- [31] Prospects and challenges of novel agricultural robots in vertical farming: A review Jiazhen Shen*, Saihong Tang*, Mohd Khairol Anuar Mohd Ariffin, A. As' Arry, Ruixin Zhao Faculty of Engineering, Universiti Putra Malaysia, Selangor, Malaysia
- [32] Robotics for poultry farming: Challenges and opportunities Ugur Ozentürk a,b, Zhengqi Chen c, Elisabetta Versace. a. School of Biological and Behavioural Sciences, Department of Biological and Experimental Psychology, Queen Mary University of London, UK. b. Ataturk University, Faculty of Veterinary Medicine, Department of Animal Science, Türkiye, c. ARQ (Advanced Robotics at Queen Mary), School of Engineering and Materials Science, Queen Mary University of London, UK.
- [33] Robotics in greenhouses. Scoping review J.A. Sanchez-Molina a, F. Rodríguez, J.C. Morena, *, J. Sanchez-Hermosilla b, A. Gimenez b. a. Department of Informatics, University of Almería, ceiA3, CIESOL, 04120, Almería, Spain. b. Department of Engineering, University of Almería, ceiA3, 04120, Almería, Spain.
- [34] Towards new ecologies of automation: Robotics and the re-engineering of nature Andrew Lockhart a, Simon Marvin b *, Aidan While c. a. Sustainable Consumption Institute, Manchester Business School, University of Manchester, United Kingdom. b. Smart Urbanism Lab, School of Architecture, Design and Planning, University of Sydney, Australia. c. Urban Institute, Urban Studies and Planning, University of Sheffield, United Kingdom.
- [35] J. Mapes, A. Dai, Y. Xu, S. Agehara, Harvesting end-effector design and picking control, in: 2021 IEEE Symp. Ser. Comput. Intell. (SSCI), 2021, pp. 01–06.
- [36] R. Fernandez, H. Montes, J. Surdilovic, D. Surdilovic, P. Gonzalez-De-Santos, M. Armada, Automatic detection of field-grown cucumbers for robotic harvesting, IEEE Access 6 (2018) 35512–35527, <https://doi.org/10.1109/ACCESS.2018.2851376>.
- [37] J.-Y. Choi, K. Seo, J.-S. Cho, K.-D. Moon, Applying convolutional neural networks to assess the external quality of strawberries, J. Food Compos. Anal. 102 (2021) 104071, <https://doi.org/10.1016/j.jfca.2021.104071>.
- [38] Y. Yu, K. Zhang, L. Yang, D. Zhang, Fruit detection for strawberry harvesting robot in non-structural environment based on Mask-RCNN, Comput. Electron. Agric. 163 (2019) 104846, <https://doi.org/10.1016/j.compag.2019.06.001>.
- [39] A. Bochkovskiy, C.-Y. Wang, H.-Y. Liao, YOLOv4: optimal speed and accuracy of object detection, arXiv: 2004.10934, 2020, <https://doi.org/10.48550/arXiv.2004.10934>.
- [40] J. Redmon, A. Farhadi, YOLO9000: better, faster, stronger, in: 2017 IEEE Conf. Comput. Vision Pattern Recognit. (CVPR), 2017, pp. 6517–6525.
- [41] Y. Yu, K. Zhang, H. Liu, L. Yang, D. Zhang, Real-time visual localization of the picking points for a ridge-planting strawberry harvesting robot, IEEE Access 8 (2020) 116556-116568, <https://doi.org/10.1109/ACCESS.2020.3003034>.
- [42] K. He, X. Zhang, S. Ren, J. Sun, Spatial pyramid pooling in deep convolutional networks for visual recognition, IEEE Trans. Pattern An-

- al. Mach. Intell. 37 (9) (2015) 1904–1916, <https://doi.org/10.1109/TPAMI.2015.2389824>.
- [43] S. Liu, L. Qi, H. Qin, J. Shi, J. Jia, Path aggregation network for instance segmentation, in: 2018 IEEE/CVF Conf. Comput. Vision Pattern Recognit., 2018, pp. 8759–8768.
- [44] Z. He, M. Karkee, P. Upadhyay, Detection of strawberries with varying maturity levels for robotic harvesting using YOLOv4, in: 2021 ASABE Annu. Int. Virtual Meet., 2021, 2100051.
- [45] M. Mapes, Y. Xu, Row allocation negotiation for a fleet of strawberry harvesting robots, ASME Lett. Dyn. Syst. Control 2(3) (2022) 031007, <https://doi.org/10.1115/1.4054644>.
- [46] Y. Zhang, J. Yu, Y. Chen, W. Yang, W. Zhang, Y. He, Real-time strawberry detection using deep neural networks on embedded system (rtsd-net): an edge AI application, Comput. Electron. Agric. 192 (2022) 106586, <https://doi.org/10.1016/j.compag.2021.106586>.
- [47] Tzutalin, Labellmg [Online], <https://github.com/tzutalin/labellmg>, 2022. (Accessed 2022).
- [48] Alexey, Yolo v4, v3 and v2 for Windows and Linux [Online], <https://github.com/AlexeyAB/darknet>, 2022. (Accessed 2022).
- [49] L. Fu, F. Gao, J. Wu, R. Li, M. Karkee, Q. Zhang, Application of consumer RGB-D cameras for fruit detection and localization in field: a critical review, Comput. Electron. Agric. 177 (2020) 105687, <https://doi.org/10.1016/j.compag.2020.105687>.
- [50] M. Lopez, E. Castillo, G. Garcia, A. Bashir, Delta robot: inverse, direct, and intermediate Jacobians, Proc. Inst. Mech. Eng., Part C, J. Mech. Eng.Sci. 220(1) (2006) 103–109, <https://doi.org/10.1243/095440606X78263>.
- [51] J. Brinker, B. Corves, Y. Takeda, Kinematic and dynamic dimensional synthesis of extended delta parallel robots, in: Robotics Mechatron., Springer International Publishing, 2019, pp.131-143.
- [52] M. Mahmoodi, M.G. Tabrizi, K. Alipour, A new approach for kinematics-based design of 3-RRR Delta robots with a specified workspace, in: 2015 AI & Robotics (IRANOPEN), 2015, pp. 1-6.

AUTHOR'S PROFILE



First Author

Dr. Savita Uday Shinde, holds a Ph.D. in Mechanical Engineering and an M.E. in Heat Power Engineering. With over 20 years of academic experience at the MIT Group of Institutions and a year in industry, her expertise lies in thermal engineering and heat power systems. She is actively involved in research and development projects focused on thermal energy applications and innovations, contributing significantly to advancements in the field of sustainable energy systems.



Second Author

Abhishek Jagtap, is a final-year Mechanical Engineering (Robotics and Automation) student at MIT ADT University, Pune. His academic interests include agri-automation, robotics, and smart farming systems. He is a co-author of a systematic review on robotic technologies enhancing vertical farming in the Indian agricultural sector.
email id: abhishekjagtap0057@gmail.com



Third Author

Sanket Joshi, is currently pursuing his final year in Mechanical Engineering (Robotics and Automation) at MIT ADT University, Pune. He is passionate about robotics integration in sustainable agriculture and modern automation techniques. He has contributed to a review paper on bridging vertical farm gaps using robotic technologies.
email id: jsanket1502@gmail.com



Fourth Author

Om Kakulte, is pursuing his final year in Mechanical Engineering (Robotics and Automation) at MIT ADT University, Pune. With interests in agri-robotics and precision automation, he has co-authored a systematic review focusing on the role of robotic technologies in advancing vertical farming systems in the Indian context. **email id:** kakulteom30@gmail.com



Fifth Author

Yusra Momin, is a final-year student of Mechanical Engineering with a specialization in Robotics and Automation at MIT ADT University, Pune. Her areas of interest include smart agriculture, machine learning, and environmental sustainability. She co-authored a review paper exploring robotics-driven solutions for vertical farming challenges in India. **email id:** Yusramomin2015@gmail.com